

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

Reserve
1.913
L93Y


UNITED STATES
DEPARTMENT OF AGRICULTURE
LIBRARY



Reserve
BOOK NUMBER

827619

1.916
L93Y



3 YIELDS OF HYBRID TOMATOES;
A list of References //

Compiled by Helen/Boyd, Librarian

2 U. S. Dept. of Agriculture, Library, Louisiana Branch //

June 11, 1952

ALABOUVETTE, L., and TITARD, A. Sur la possibilité dans la culture de la tomate des hybrides de première génération. Sélectionneur 2(1): 11-14. 1933.

Abstract in Biol. Abs. 8(2): 206. No. 2677. 1934.

ASHTON, T. The use of heterosis in the production of agricultural and horticultural crops. Commonwealth Bur. of Plant Breeding and Genetics, 1949, p. 8-10.

EABB, M. F., and KRAUS, J. E. Results of tomato variety tests in the Great Plains region. USDA C. 533, 12p. 1939.

BARROWS, K. C. Spartan hybrid--a first generation hybrid tomato for greenhouse production. Amer. Soc. Hort. Sci. Proc. 42: 524-528. 1943.

BOUNTY tomato. N. D. Agr. Expt. Sta. Bi-M. B. 4(4): 12. 1942.

BURGESS, I. M. Hybrid vigour in some tomato crosses. Amer. Soc. Hort. Sci. Proc. 38: 570-572. 1941.

BURLINGHAM horticultural station. Tomato variety trial. Horticulture 2: 30-31. 1939.

CAMPBELL, J. A. Breeding tomatoes for higher yields, better quality, and resistance to Fusarium wilt. Miss. Agr. Expt. Sta. Inform. Sheet 420, 2p. Dec. 1948.

CAMPBELL, J. A. Good traits in new lines of tomatoes. Miss. Farm Res. [Miss. Sta.] 11(12): 1, 8. Dec. 1948.

CHATASYK, V. F₁ hybrid outlook in tomatoes. West. Canad. Soc. Hort. Rpt. Proc. 7: 57-62. 1951.

CROSS-BREEDING for increased production: Tomatoes and cucumbers. Gard. Chron. (London) 62: 257. Dec. 29, 1917.

CURRENCE, T. M. Hybrid tomatoes for Minnesota. Minn. Hort. 73(2): 21. 1945.

CURRENCE, T. M., LARSON, R. E., and VERTA, A. A. A comparison of six tomato varieties as parents of F₁ lines resulting from the fifteen possible crosses. Amer. Soc. Hort. Sci. Proc. 45: 349-352. 1945.

DASKALOFF, C. Beitrag zum Studium der Heterosis bei Tomaten in Bezug auf die Herstellung von Heterosis--Sorten fuer die Praxis. Gartenbauwiss 11: 129-143. 1937.

DEIVER, C. M. The commercialization of hybrid vigour in the tomato. New Zeal. J. Agr. 55: 352-364. 1937.


FEDRELL, J. L. A new tomato for the tropics. Agr. Amer. 5: 233-234. 1945.

FINLAY, K. W. Hybrid vigour in tomatoes. Austral. Inst. Agr. Sci. J. 17: 145-151. Sept. 1951.

GEORGE, L. V. Allseason tomato. South. Seedsman 12(1): 13. 1949.

HADFIELD, J. W., and CALDER, R. A. Commercialization of hybrid vigour in the tomato. New Zealand Jour. Agr. 53: 139-146. 1936.

HAWTHORN, L. R. Breeding summer tomatoes for increased size. Amer. Soc. Hort. Sci. Proc. 40: 390-394. 1942.



LIBRARY OF CONGRESS
AUG 6 1955
U.S. DEPT. OF AGRICULTURE

Page 11, 1955

... and
... ..

... ..
... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

. 827619

- HAYES, H. K., and JONES, D. F. Effects of cross-and self-fertilization in tomatoes. Conn. Agr. Expt. Sta. Rpt. 1916, pt. 5: 305-313. 1917.
Not examined. May not give yields.
- HOFFMAN, I. C. First generation tomato hybrids for greenhouse use. Ohio Veg. and Potato Growers' Assoc. Proc. 32: 143-153. 1947.
- HOFFMAN, I. C. Further tests of F_1 hybrid tomatoes in the greenhouse. Ohio Veg. and Potato Grow. Assoc. Proc. 34: 138-142. 1947.
Not examined. Probably gives yields as the report above did.
- JONES, W. A. Hybrid vigor studies with cucurbits and tomatoes. Chron. Bot. 7(6): 265-266. 1942.
- JOUBERT, T. G. LA G. Hybrid vigour in tomatoes. Farming in S. Africa 24: 355-356, 370. 1949.
- KLIPPER, J. E., and SWEET, R. D. An investigation of the yield performance of several tomato varieties. Amer. Soc. Hort. Sci. Proc. 54: 253-260. Dec. 1949.
Not examined. May not be hybrids.
- LARSON, R. E. Hybrid vegetables vigorous. Market Growers' J. 75(10): 14, 29, 37. 1946.
- LARSON, R. E. The F_1 combining ability of certain tomato varieties. Amer. Soc. Hort. Sci. Proc. 39: 313-314. 1941.
- LARSON, R. E., and CURRANCE, T. M. Extent of hybrid vigor in F_1 and F_2 generations of tomato crosses; with particular reference to early yield, total yield, and fruit size. Minn. Agr. Expt. Sta. Tech. B. 164, 32p. 1944.
- LARSON, R. E., and MARCHANT, W. L. The response of three F_1 lines and ten strains of tomatoes to two distinct soil types. Amer. Soc. Hort. Sci. Proc. 45: 341-347. 1944.
- MATTSON, H. Bounty tomato in standard yield trials in 1940 and 1941. N.D. Agr. Expt. Sta. B. 310, 7p. 1942.
- MATTSON, H. "Bounty" tomato. Preliminary report and description. N. D. Agr. Expt. Sta. Bi-M. B. 3(3): 11-14. 1941.
- MILLEN, A., and PALCOCK, H. D. Heterosis in the tomato as determined by yield. Amer. Soc. Hort. Sci. Proc. 1940: 576-580. 1941.
- MURFEE, J. P., and CURRANCE, T. M. Combining ability in tomatoes. Minn. Agr. Expt. Sta. B. 188, 21p. 1950.
- MUNGER, H. M. Hybrid tomatoes give high early yields, better fruit. N. Y. Agr. Expt. Sta. Farm Research 13(3): 1. 1947.
- MYERS, C. E. Inheritance of size and productiveness in pedigree strains of tomatoes. Amer. Soc. Hort. Sci. Proc. 11: 26-33. 1914.
- ODLAND, M. L., and MULL, C. J. Tomato variety hybrid and strain trials, 1940. Pa. Agr. Expt. Sta. J. Ser. Paper 1485, 5p. Nov. 8, 1943.
Not examined. May not give yields.
- POWER, W. W., and WALKER, H. B. The Pan America tomato, a new red variety highly resistant to fusarium wilt. USDA C. 611, 6p. 1941.
- POWERS, L. Relative yields of inbred lines and F_1 hybrids of tomato. Bot. Gaz. 106: 247-263. 1945.
- SAYRE, C. B. Nystato, a new hybrid tomato, shows much promise adapted to both market garden and commercial cannery use, now variety gave highest yield in 1936 trial test, with 30 other sorts -- seed to be multiplied for 1937. N. Y. Agr. Expt. Sta. Farm Research 2(2): 9. 1936.

- SHIFRIS, O. Hybrid tomato. South. Seedsman 8(4): 15, 16, 30. 1945.
Fordhook.
- STAIR, E. C. Indiana Baltimore tomato -- its history and development.
Purdue Agr. Expt. Sta. C. 207, 12p. 1934.
- WALKER, J. C, POUND, G. S., and KUNTZ, J. E. Development of Wisconsin 55
tomato. Wis. Agr. Expt. Sta. B. 478, 20p. Sept. 1948.
Not examined. May not give yield.
- WELLINGTON, R. Comparison of first generation tomato crosses and their
parents. Minn. Agr. Expt. Sta. Tech. B. 6. 1922.
Not examined. May not give yields.
- WELLINGTON R. Influence of crossing in increasing the yield of the to-
mato. N. Y. Agr. Expt. Sta. B. 346. 1912.
- YARNALL, S. H., and HAWTHORN, L. R. Breeding tomatoes to extend the
fruiting season. Amer. Soc. Hort. Sci. Proc. 35: 585-589. 1938.
- YOUNG, P. A. The Rainbow tomato. South. Seedsman 8(10): 14, 52. 1945.

SOURCES CONSULTED:

- Agricultural Index, 1916 thru May 1952.
Bibliography of Agriculture, 1949 thru May 1952.
Biological Abstracts, 1927 thru 1947.
Plant Breeding Abstracts, 1935 thru 1951 (excluding July 1950 issue).
Literature cited in the publications examined.

YIELDS OF HYBRID TOMATOES

A list of References

Compiled by Helen Boyd, Librarian

U. S. Dept. of Agriculture Library, Louisiana Branch

June 11, 1952

ALABOUVETTE, L., and TITARD, A. Sur la possibilité dans la culture de la tomate des hybrides de première génération. *Sélectionneur* 2(1): 11-14. 1933.

Abstract in Biol. Abs. 8(2): 296. No. 2677. 1934.

ASHTON, T. The use of heterosis in the production of agricultural and horticultural crops. Commonwealth Bur. of Plant Breeding and Genetics, 1949, p. 8-10.

BABB, M. F., and KRAUS, J. E. Results of tomato variety tests in the Great Plains region. USDA C. 533, 12p. 1939.

BARDON, K. C. Spartan hybrid--a first generation hybrid tomato for greenhouse production. *Amer. Soc. Hort. Sci. Proc.* 42: 524-528. 1943.

BOUNTY tomato. N. D. Agr. Expt. Sta. Bi-M. B. 4(4): 12. 1942.

BURGESS, I. M. Hybrid vigour in some tomato crosses. *Amer. Soc. Hort. Sci. Proc.* 38: 570-572. 1941.

BURLINGHAM horticultural station. Tomato variety trial. *Horticulture* 2: 30-31. 1939.

CAMPBELL, J. A. Breeding tomatoes for higher yields, better quality, and resistance to Fusarium wilt. *Miss. Agr. Expt. Sta. Inform. Sheet* 420, 2p. Dec. 1948.

CAMPBELL, J. A. Good traits in new lines of tomatoes. *Miss. Farm Res. [Miss. Sta.]* 11(12): 1, 8. Dec. 1948.

CHAMASYK, V. F₁ hybrid outlook in tomatoes. *West. Canad. Soc. Hort. Rpt. Proc.* 7: 57-62. 1951.

CROSS-BREEDING for increased production: Tomatoes and cucumbers. *Gard. Chron. (London)* 62: 257. Dec. 29, 1917.

CURRENCE, T. M. Hybrid tomatoes for Minnesota. *Minn. Hort.* 73(2): 21. 1945.

CURRENCE, T. M., LARSON, R. E., and VERTA, A. A. A comparison of six tomato varieties as parents of F₁ lines resulting from the fifteen possible crosses. *Amer. Soc. Hort. Sci. Proc.* 45: 349-352. 1945.

DASKALOPO, C. Beitrag zum Studium der Heterosis bei Tomaten in Bezug auf die Herstellung von Heterosis--Sorten fuer die Praxis. *Gartenbauwiss* 11: 129-143. 1937.

DRIVER, C. M. The commercialization of hybrid vigour in the tomato. *New Zeal. J. Agr.* 55: 352-364. 1937.

FEEHILL, J. L. A new tomato for the tropics. *Agr. Amer.* 5: 233-234. 1945.

FINLAY, K. W. Hybrid vigour in tomatoes. *Austral. Inst. Agr. Sci. J.* 17: 145-151. Sept. 1951.

GEORGE, L. V. Allseason tomato. *South. Seedsman* 12(1): 13. 1949.

HADFIELD, J. W., and CALDER, R. A. Commercialization of hybrid vigour in the tomato. *New Zealand Jour. Agr.* 53: 139-146. 1936.

HAWTHORN, L. R. Breeding summer tomatoes for increased size. *Amer. Soc. Hort. Sci. Proc.* 40: 390-394. 1942.

U. S. DEPT. OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

June 11, 1915

Mr. J. H. ...
...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

HAYES, H. K., and JONES, D. F. Effects of cross-and self-fertilization in tomatoes. Conn. Agr. Expt. Sta. Rpt. 1916, pt. 5: 305-313. 1917.

Not examined. May not give yields.

HOFFMAN, I. C. First generation tomato hybrids for greenhouse use. Ohio Veg. and Potato Growers' Assoc. Proc. 32: 148-153. 1947.

HOFFMAN, I. C. Further tests of F_1 hybrid tomatoes in the greenhouse. Ohio Veg. and Potato Grow. Assoc. Proc. 34: 138-142. 1949.

Not examined. Probably gives yields as the report above did.

JONES, H. A. Hybrid vigor studies with cucurbits and tomatoes. Chron. Bot. 7(6): 265-266. 1942.

JOUBERT, T. G. LA G. Hybrid vigour in tomatoes. Farming in S. Africa 24: 355-356, 370. 1949.

KLINKER, J. E., and SWEET, R. D. An investigation of the yield performance of several tomato varieties. Amer. Soc. Hort. Sci. Proc. 54: 253-260. Dec. 1949.

Not examined. May not be hybrids.

LARSON, R. E. Hybrid vegetables vigorous. Market Growers' J. 75(10): 14, 29, 37. 1946.

LARSON, R. E. The F_1 combining ability of certain tomato varieties. Amer. Soc. Hort. Sci. Proc. 39: 313-314. 1941.

LARSON, R. E., and CURRENCE, T. M. Extent of hybrid vigor in F_1 and F_2 generations of tomato crosses; with particular reference to early yield, total yield, and fruit size. Minn. Agr. Expt. Sta. Tech. B. 164, 32p. 1944.

LARSON, R. E., and MARCHANT, W. L. The response of three F_1 lines and ten strains of tomatoes to two distinct soil types. Amer. Soc. Hort. Sci. Proc. 45: 341-347. 1944.

MATTSON, H. Bounty tomato in standard yield trials in 1940 and 1941. N.D. Agr. Expt. Sta. B. 310, 7p. 1942.

MATTSON, H. "Bounty" tomato. Preliminary report and description. N. D. Agr. Expt. Sta. Bi-M. B. 3(3): 11-14. 1941.

MEYER, A., and PEACOCK, N. D. Heterosis in the tomato as determined by yield. Amer. Soc. Hort. Sci. Proc. 1940: 576-580. 1941.

MOORE, J. F., and CURRENCE, T. M. Combining ability in tomatoes. Minn. Agr. Expt. Sta. B. 188, 21p. 1950.

MUNGER, H. M. Hybrid tomatoes give high early yields, better fruit. N. Y. Agr. Expt. Sta. Farm Research 13(3): 1. 1947.

MYERS, C. E. Inheritance of size and productiveness in pedigree strains of tomatoes. Amer. Soc. Hort. Sci. Proc. 11: 26-33. 1914.

ODLAND, M. L., and NOLL, C. J. Tomato variety hybrid and strain trials, 1948. Pa. Agr. Expt. Sta. J. Ser. Paper 1485, 5p. Nov. 8, 1948.

Not examined. May not give yields.

FORTE, W. S., and WALKER, H. B. The Pan America tomato, a new red variety highly resistant to fusarium wilt. USDA C. 611, 6p. 1941.

POWERS, L. Relative yields of inbred lines and F_1 hybrids of tomato. Bot. Gaz. 106: 247-268. 1945.

SAYEE, C. B. Nystate, a new hybrid tomato, shows much promise adapted to both market garden and commercial cannery use, new variety gave highest yield in 1936 trial test, with 30 other sorts -- seed to be multiplied for 1937. N. Y. Agr. Expt. Sta. Farm Research 2(2): 9. 1936.

1964

- SHIFFRIS, C. Hybrid tomato. South. Seedsman 8(4): 15, 16, 30. 1945.
Fordhook.
- STAIR, E. C. Indiana Baltimore tomato -- its history and development.
Purdue Agr. Expt. Sta. C. 207, 12p. 1934.
- WALKER, J. C, POUND, G. S., and KURTZ, J. E. Development of Wisconsin 55
tomato. Wis. Agr. Expt. Sta. B. 478, 20p. Sept. 1948.
Not examined. May not give yield.
- WELLINGTON, R. Comparison of first generation tomato crosses and their
parents. Minn. Agr. Expt. Sta. Tech. B. 6. 1922.
Not examined. May not give yields.
- WELLINGTON, R. Influence of crossing in increasing the yield of the to-
mato. N. Y. Agr. Expt. Sta. B. 346. 1912.
- YARNELL, S. H., and HAWTHORN, L. R. Breeding tomatoes to extend the
fruiting season. Amer. Soc. Hort. Sci. Proc. 35: 585-589. 1938.
- YOUNG, P. A. The Rainbow tomato. South. Seedsman 8(10): 14, 52. 1945.

SOURCES CONSULTED:

Agricultural Index, 1916 thru May 1952.
Bibliography of Agriculture, 1949 thru May 1952.
Biological Abstracts, 1927 thru 1947.
Plant Breeding Abstracts, 1935 thru 1951 (excluding July 1950 issue).
Literature cited in the publications examined.

